

TA: 18500 FT



ELEV AD 4465 FT

VAR 8°

GRAL. DIV. P.A. ROBERTO FIERRO VILLALOBOS

ILS/DME 2 RWY 36R

LOC RWY 36R



ASCIENDA EN RUMBO DE PISTA Y PROSIGA EN **RADIAL 358°**
HASTA **D-7**, EFECTUE VIRAJE DE GOTA A LA **DERECHA**
DENTRO DE **10 NM** HACIA EL **VOR/DME/CUU**
HASTA LA ALTITUD MINIMA DE ESPERA.
CLIMB ON RUNWAY HEADING, AND PROCEED ON CUU
VOR R-358° TO D-7, RIGHT TEARDROP TURN WITHIN 10 NM
TO VOR/DME/CUU AT THE MINIMUM HOLDING ALTITUDE.

GRADIENTE DE DESCENSO / RATE OF DESCENT							
FAP - THR	VEL GCS (KTS)	80	100	120	140	160	180 200
6.54 NM	FT / NM	423	529	635	741	846	952 1058
5.2% (3.0°)	MIN : SEC	4:54	3:55	3:16	2:48	2:27	2:11 1:58

ALTITUD MINIMA SEGUN DISTANCIA **DMEACIU /**
 MINIMUM ALTITUDE ACCORDING TO DISTANCE **DMEACIU**

NM	6	5	4	3	2	1
FT	6370 (1930)	6060 (1845)	5750 (1745)	5420 (1650)	5110 (1555)	4780 (1465)

CAT		A		B		C		D	
CAT 1 COMPLETO/FULL				DA (DH)	4695 (230)	- 1/2 (800 M)			
SIN ALS/ALS OUT				DA (DH)	4695 (230)	- 3/4 (1200 M)			
LOC COMPLETO/FULL	MDA (MDH)	4880	(415)	- 3/4 (1200 M)			4880 (415)	- 1 (1600 M)	
LOC SIN ALS/ALS OUT	MDA (MDH)	4880	(415)	- 1 (1600 M)			4880 (415)	- 1 1/4 (2000 M)	
CIRCULANDO	MDA (MDH)	5200	(735)	- 1 (1600 M)			5200 (735)	- 2 (3200 M)	
5							5200 (735)	- 2 1/4 (3600 M)	

19-MAY-2022 AMDT AIRAC 05/22

SCT - AFAC - SENEAM

MMCU-IAC-2

CAMBIO: ELEV TDZ